



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:00 AM UTC

PDB ID : 4MXV / pdb_00004mxv
Title : Structure of Lymphotoxin alpha bound to anti-LTa Fab
Authors : Yin, J.P.; Hymowitz, S.G.
Deposited on : 2013-09-26
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	<div> <div>%</div> <div>62% 24% .. 13%</div> </div>
1	B	157	<div> <div>2%</div> <div>59% 25% .. 13%</div> </div>
1	D	157	<div> <div>2%</div> <div>62% 20% .. 16%</div> </div>
2	E	211	<div> <div>82% 18% .</div> </div>
2	L	211	<div> <div>%</div> <div>79% 21%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	X	211	<div><div></div><div>81%</div><div>16%</div><div></div></div>
3	F	213	<div><div></div><div>86%</div><div>11%</div><div></div></div>
3	H	213	<div><div></div><div>%</div><div>83%</div><div>16%</div><div></div></div>
3	Y	213	<div><div></div><div>76%</div><div>23%</div><div></div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lymphotoxin-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	137	Total	C	N	O	S	0	0	0
			1075	700	177	196	2			
1	B	137	Total	C	N	O	S	0	0	0
			1072	697	177	196	2			
1	D	132	Total	C	N	O	S	0	0	0
			1029	669	171	187	2			

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	ALA	-	expression tag	UNP P01374
A	16	ASP	-	expression tag	UNP P01374
A	17	LEU	-	expression tag	UNP P01374
A	18	GLY	-	expression tag	UNP P01374
A	19	SER	-	expression tag	UNP P01374
A	20	ASP	-	expression tag	UNP P01374
A	21	TYR	-	expression tag	UNP P01374
A	22	LYS	-	expression tag	UNP P01374
A	23	ASP	-	expression tag	UNP P01374
A	24	ASP	-	expression tag	UNP P01374
A	25	ASP	-	expression tag	UNP P01374
A	26	ASP	-	expression tag	UNP P01374
A	27	LYS	-	expression tag	UNP P01374
B	15	ALA	-	expression tag	UNP P01374
B	16	ASP	-	expression tag	UNP P01374
B	17	LEU	-	expression tag	UNP P01374
B	18	GLY	-	expression tag	UNP P01374
B	19	SER	-	expression tag	UNP P01374
B	20	ASP	-	expression tag	UNP P01374
B	21	TYR	-	expression tag	UNP P01374
B	22	LYS	-	expression tag	UNP P01374
B	23	ASP	-	expression tag	UNP P01374
B	24	ASP	-	expression tag	UNP P01374

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	25	ASP	-	expression tag	UNP P01374
B	26	ASP	-	expression tag	UNP P01374
B	27	LYS	-	expression tag	UNP P01374
D	15	ALA	-	expression tag	UNP P01374
D	16	ASP	-	expression tag	UNP P01374
D	17	LEU	-	expression tag	UNP P01374
D	18	GLY	-	expression tag	UNP P01374
D	19	SER	-	expression tag	UNP P01374
D	20	ASP	-	expression tag	UNP P01374
D	21	TYR	-	expression tag	UNP P01374
D	22	LYS	-	expression tag	UNP P01374
D	23	ASP	-	expression tag	UNP P01374
D	24	ASP	-	expression tag	UNP P01374
D	25	ASP	-	expression tag	UNP P01374
D	26	ASP	-	expression tag	UNP P01374
D	27	LYS	-	expression tag	UNP P01374

- Molecule 2 is a protein called anti-Lymphotoxin alpha antibody light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	211	Total	C	N	O	S	0	0	0
			1622	1015	273	329	5			
2	L	211	Total	C	N	O	S	0	0	0
			1622	1015	273	329	5			
2	X	211	Total	C	N	O	S	0	0	0
			1622	1015	273	329	5			


- Molecule 3 is a protein called anti-Lymphotoxin alpha antibody heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	213	Total	C	N	O	S	0	0	0
			1613	1028	269	310	6			
3	H	213	Total	C	N	O	S	0	0	0
			1613	1028	269	310	6			
3	Y	213	Total	C	N	O	S	0	0	0
			1613	1028	269	310	6			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lymphotoxin-alpha




• Molecule 1: Lymphotoxin-alpha



• Molecule 1: Lymphotoxin-alpha





• Molecule 2: anti-Lymphotoxin alpha antibody light chain








- Molecule 2: anti-Lymphotoxin alpha antibody light chain




- Molecule 2: anti-Lymphotoxin alpha antibody light chain




- Molecule 3: anti-Lymphotoxin alpha antibody heavy chain



- Molecule 3: anti-Lymphotoxin alpha antibody heavy chain



- Molecule 3: anti-Lymphotoxin alpha antibody heavy chain



D144	Y145	E148	P149	V150	T151	V152	F166	G174	L178	S179	S180	V181	P185	S188	T191	H200	K201	P202	K209	E212	P213	K214
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	209.85Å 209.85Å 130.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.80 – 3.20 29.80 – 3.20	Depositor EDS
% Data completeness (in resolution range)	96.8 (29.80-3.20) 96.6 (29.80-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.13 (at 3.18Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.177 , 0.235 0.179 , 0.233	Depositor DCC
R_{free} test set	2796 reflections (5.79%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtriage
Anisotropy	0.005	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12881	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1110	0.97	6/1512 (0.4%)
1	B	0.61	0/1106	1.02	11/1505 (0.7%)
1	D	0.64	0/1060	0.96	5/1442 (0.3%)
2	E	0.54	0/1659	0.91	3/2255 (0.1%)
2	L	0.52	0/1659	0.86	0/2255
2	X	0.60	0/1659	0.95	4/2255 (0.2%)
3	F	0.52	0/1657	0.96	6/2261 (0.3%)
3	H	0.49	0/1657	0.86	0/2261
3	Y	0.57	0/1657	0.98	9/2261 (0.4%)
All	All	0.56	0/13224	0.94	44/18007 (0.2%)

There are no bond length outliers.

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	X	94	THR	N-CA-C	-7.69	99.41	110.40
3	F	125	ALA	CA-C-N	7.34	127.26	119.85
3	F	125	ALA	C-N-CA	7.34	127.26	119.85
1	A	122	TYR	CA-C-N	7.32	128.99	119.84
1	A	122	TYR	C-N-CA	7.32	128.99	119.84
1	D	28	LYS	CA-C-N	7.28	127.28	119.78
1	D	28	LYS	C-N-CA	7.28	127.28	119.78
3	Y	166	PHE	CA-C-N	7.24	127.28	119.89
3	Y	166	PHE	C-N-CA	7.24	127.28	119.89
1	B	83	GLY	N-CA-C	6.82	120.38	110.63
2	X	95	PRO	CA-C-N	-6.70	113.82	122.79
2	X	95	PRO	C-N-CA	-6.70	113.82	122.79
1	B	122	TYR	CA-C-N	6.41	127.85	119.84
1	B	122	TYR	C-N-CA	6.41	127.85	119.84
1	B	93	SER	CA-C-N	5.95	125.89	119.76
1	B	93	SER	C-N-CA	5.95	125.89	119.76
3	Y	70	SER	N-CA-C	5.79	116.19	108.38
1	B	121	VAL	N-CA-C	5.75	116.48	108.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Y	152	VAL	N-CA-C	5.74	116.26	107.77
2	X	28	ALA	N-CA-C	-5.70	102.85	110.55
1	B	160	SER	CA-C-N	5.60	125.44	119.28
1	B	160	SER	C-N-CA	5.60	125.44	119.28
1	A	121	VAL	N-CA-C	5.59	120.96	109.34
1	D	122	TYR	CA-C-N	5.54	126.77	119.84
1	D	122	TYR	C-N-CA	5.54	126.77	119.84
3	Y	125	ALA	CA-C-N	5.48	125.45	120.03
3	Y	125	ALA	C-N-CA	5.48	125.45	120.03
3	F	97	MET	N-CA-C	-5.46	102.40	110.48
1	B	109	PRO	N-CA-C	-5.44	101.27	112.47
3	F	122	PHE	CA-C-N	5.33	125.09	119.76
3	F	122	PHE	C-N-CA	5.33	125.09	119.76
3	F	189	LEU	N-CA-C	-5.33	102.50	110.23
1	A	53	PHE	N-CA-C	5.32	117.16	108.76
2	E	28	ALA	N-CA-C	-5.28	102.66	110.48
3	Y	174	GLY	N-CA-C	-5.28	107.83	115.27
2	E	191	VAL	CB-CA-C	-5.24	103.97	111.31
2	E	72	THR	N-CA-C	5.16	116.58	107.61
3	Y	98	LEU	CA-C-N	-5.15	115.03	121.00
3	Y	98	LEU	C-N-CA	-5.15	115.03	121.00
1	B	28	LYS	CA-C-N	5.15	125.06	119.76
1	B	28	LYS	C-N-CA	5.15	125.06	119.76
1	D	121	VAL	N-CA-C	5.10	119.94	109.34
1	A	67	VAL	CA-C-N	5.02	124.32	118.85
1	A	67	VAL	C-N-CA	5.02	124.32	118.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1075	0	1040	25	0
1	B	1072	0	1033	27	0
1	D	1029	0	1001	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	1622	0	1573	25	0
2	L	1622	0	1573	35	0
2	X	1622	0	1573	27	0
3	F	1613	0	1576	16	0
3	H	1613	0	1576	28	0
3	Y	1613	0	1576	32	0
All	All	12881	0	12521	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (218) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:195:ILE:HG12	3:H:210:LYS:HG2	1.39	1.04
2:X:135:LEU:HD22	3:Y:181:VAL:HG11	1.49	0.94
3:H:159:LEU:HD21	3:H:182:VAL:HG21	1.54	0.86
3:H:145:TYR:CE1	3:H:150:VAL:HG23	2.12	0.84
3:Y:126:PRO:HG3	3:Y:138:LEU:HB3	1.62	0.80
1:A:117:SER:HB2	1:A:133:MET:HE3	1.65	0.79
2:L:181:LEU:HD11	2:L:186:TYR:HB2	1.65	0.79
1:B:122:TYR:HB3	1:B:123:PRO:HD2	1.62	0.78
3:F:82:MET:HE2	3:F:82(C):LEU:HD21	1.64	0.78
3:Y:82:MET:HE2	3:Y:82(C):LEU:HD21	1.66	0.77
2:X:156:SER:OG	2:X:157:GLY:N	2.19	0.75
1:D:122:TYR:HB3	1:D:123:PRO:HD2	1.69	0.74
1:D:68:PRO:HB2	3:Y:97:MET:HE3	1.67	0.74
3:H:195:ILE:CG1	3:H:210:LYS:HG2	2.19	0.72
2:L:83:PHE:HB3	2:L:106:ILE:HD12	1.72	0.72
1:D:117:SER:HB2	1:D:133:MET:HE3	1.74	0.70
1:B:117:SER:HB2	1:B:133:MET:HE3	1.74	0.68
1:B:68:PRO:HB2	3:F:97:MET:HG3	1.74	0.68
3:H:126:PRO:HG3	3:H:138:LEU:HB3	1.74	0.68
1:A:79:VAL:HA	1:A:164:VAL:HG22	1.76	0.68
2:L:135:LEU:HD22	3:H:181:VAL:HG11	1.75	0.68
1:D:33:LEU:HD11	1:D:65:LEU:HD13	1.76	0.67
2:L:6:GLN:O	2:L:100:GLN:NE2	2.29	0.66
3:Y:33:VAL:CG1	3:Y:50:TYR:HB2	2.27	0.65
1:B:61:SER:HB2	2:E:94:THR:HG21	1.80	0.64
1:A:68:PRO:HB2	3:H:97:MET:HG3	1.81	0.63
1:B:84:LYS:HG3	1:B:129:TRP:HE1	1.62	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:LEU:HB3	1:A:121:VAL:HG13	1.81	0.63
3:H:145:TYR:CE1	3:H:150:VAL:CG2	2.82	0.63
2:L:29:VAL:O	2:L:29:VAL:HG12	1.98	0.62
3:H:82:MET:HE2	3:H:82(C):LEU:HD21	1.80	0.62
2:X:28:ALA:C	2:X:29:VAL:HG23	2.25	0.62
1:B:61:SER:HA	2:E:94:THR:OG1	2.01	0.61
2:X:135:LEU:HD22	3:Y:181:VAL:CG1	2.27	0.59
1:D:34:ILE:CG1	1:D:52:ALA:HB2	2.32	0.59
2:L:149:LYS:HB2	2:L:193:ALA:HB3	1.83	0.59
1:A:61:SER:HB2	2:L:94:THR:HG21	1.85	0.58
3:Y:51:ASN:HD22	3:Y:57:THR:HG22	1.69	0.58
1:A:72:ILE:CD1	1:A:140:GLN:HG3	2.34	0.58
2:L:181:LEU:CD1	2:L:186:TYR:HB2	2.33	0.58
1:A:98:ALA:HB3	1:A:152:ASP:HB2	1.86	0.57
2:E:40:PRO:HG2	2:E:165:GLU:HG3	1.86	0.57
2:L:40:PRO:HG2	2:L:165:GLU:HG3	1.86	0.57
2:X:6:GLN:NE2	2:X:86:TYR:O	2.38	0.57
1:D:78:GLN:HB2	1:D:134:TYR:HD2	1.70	0.57
1:A:117:SER:CB	1:A:133:MET:HE3	2.35	0.57
2:X:108:ARG:HD2	2:X:140:TYR:CG	2.40	0.56
2:E:149:LYS:NZ	2:E:195:GLU:OE1	2.35	0.56
3:Y:60:ASN:HB3	3:Y:63:PHE:HD2	1.70	0.56
1:D:104:PHE:HB3	1:D:146:GLN:HB2	1.86	0.56
3:Y:59:TYR:HE2	3:Y:69:ILE:HG13	1.70	0.56
2:L:28:ALA:C	2:L:29:VAL:HG23	2.30	0.56
2:X:135:LEU:CD2	3:Y:181:VAL:HG11	2.29	0.56
3:F:87:THR:HG23	3:F:110:THR:HA	1.87	0.56
2:L:6:GLN:NE2	2:L:86:TYR:O	2.35	0.56
2:E:29:VAL:HG12	2:E:29:VAL:O	2.04	0.56
2:X:29:VAL:O	2:X:29:VAL:HG12	2.06	0.55
1:B:117:SER:CB	1:B:133:MET:HE3	2.37	0.54
3:F:33:VAL:CG1	3:F:50:TYR:HB2	2.37	0.54
2:E:3:GLN:H	2:E:26:SER:HB3	1.71	0.54
1:D:123:PRO:O	1:D:125:LEU:N	2.40	0.54
3:Y:59:TYR:CE2	3:Y:69:ILE:HG13	2.43	0.54
2:L:135:LEU:CD2	3:H:181:VAL:HG11	2.38	0.54
1:B:98:ALA:HB3	1:B:152:ASP:HB2	1.90	0.54
3:H:87:THR:HG23	3:H:110:THR:HA	1.89	0.53
1:B:95:LEU:HB3	1:B:121:VAL:HG13	1.90	0.53
3:H:12:VAL:HG11	3:H:82(C):LEU:HD12	1.90	0.53
3:H:51:ASN:HB2	3:H:57:THR:HG22	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:ALA:HA	1:A:52:ALA:HB1	1.90	0.53
3:H:145:TYR:CZ	3:H:150:VAL:CG2	2.92	0.53
3:H:47:TRP:CZ2	3:H:49:GLY:HA2	2.44	0.53
1:A:99:HIS:HB3	1:A:133:MET:HE2	1.90	0.52
1:D:34:ILE:HG13	1:D:52:ALA:HB2	1.90	0.52
3:H:68:THR:HB	3:H:81:GLN:HB3	1.90	0.52
1:B:114:LEU:HB3	1:B:139:PHE:CZ	2.45	0.52
3:Y:87:THR:HG23	3:Y:110:THR:HA	1.90	0.52
1:B:76:TYR:CZ	1:B:167:GLY:HA3	2.45	0.52
3:H:82:MET:HE1	3:H:90:TYR:CZ	2.45	0.51
2:X:37:GLN:HG3	2:X:86:TYR:CE2	2.45	0.51
1:B:122:TYR:HB3	1:B:123:PRO:CD	2.37	0.51
2:E:37:GLN:HG3	2:E:86:TYR:CE2	2.46	0.51
1:A:33:LEU:HD11	1:A:65:LEU:HD13	1.92	0.51
1:B:39:LYS:C	1:B:41:ASN:H	2.19	0.51
1:D:117:SER:CB	1:D:133:MET:HE3	2.39	0.51
1:B:99:HIS:HB3	1:B:133:MET:HE2	1.93	0.51
3:Y:33:VAL:HG12	3:Y:50:TYR:HB2	1.93	0.51
3:F:68:THR:HB	3:F:81:GLN:HB3	1.91	0.51
2:X:28:ALA:C	2:X:29:VAL:CG2	2.84	0.50
2:L:181:LEU:HD12	2:L:182:SER:O	2.11	0.50
3:Y:145:TYR:OH	3:Y:178:LEU:HD23	2.12	0.49
1:D:122:TYR:HB3	1:D:123:PRO:CD	2.40	0.49
3:Y:36:TRP:CD1	3:Y:69:ILE:HD13	2.47	0.49
2:L:80:PRO:HA	2:L:106:ILE:HD13	1.95	0.49
3:Y:180:SER:C	3:Y:181:VAL:HG23	2.38	0.49
2:X:75:ILE:HG21	2:X:78:LEU:HD12	1.95	0.49
3:Y:121:VAL:O	3:Y:209:LYS:HE3	2.13	0.49
3:Y:185:PRO:O	3:Y:188:SER:OG	2.30	0.48
3:Y:82:MET:HE1	3:Y:90:TYR:CZ	2.48	0.48
1:B:122:TYR:CB	1:B:123:PRO:HD2	2.40	0.48
2:X:31:SER:O	2:X:33:VAL:N	2.46	0.48
1:A:39:LYS:O	1:A:41:ASN:N	2.47	0.48
2:E:37:GLN:HB2	2:E:47:LEU:HD11	1.94	0.48
2:L:35:TRP:CZ3	2:L:88:CYS:HB3	2.49	0.48
2:L:181:LEU:HD12	2:L:181:LEU:C	2.38	0.48
2:E:83:PHE:HB3	2:E:106:ILE:HD12	1.95	0.48
2:L:29:VAL:O	2:L:29:VAL:CG1	2.62	0.47
2:X:91:SER:HA	2:X:96:TRP:CD1	2.49	0.47
1:B:39:LYS:O	1:B:41:ASN:N	2.44	0.47
1:B:75:VAL:O	1:B:136:GLY:HA2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:12:VAL:HG11	3:F:18:LEU:HB2	1.97	0.47
1:D:34:ILE:HG12	1:D:52:ALA:HB2	1.96	0.47
2:L:137:ASN:ND2	3:H:183:THR:HG21	2.29	0.47
3:F:60:ASN:HB3	3:F:63:PHE:HD2	1.80	0.47
1:D:33:LEU:O	1:D:34:ILE:HD13	2.15	0.47
2:E:91:SER:HA	2:E:96:TRP:CD1	2.50	0.46
3:H:145:TYR:CZ	3:H:150:VAL:HG23	2.50	0.46
2:E:145:LYS:HB3	2:E:197:THR:HB	1.98	0.46
3:F:51:ASN:HB2	3:F:57:THR:HG22	1.98	0.46
1:A:107:GLN:HB3	1:A:108:TYR:H	1.51	0.46
1:A:61:SER:HB2	2:L:94:THR:CG2	2.46	0.46
1:D:79:VAL:HA	1:D:164:VAL:HG22	1.96	0.46
2:L:28:ALA:C	2:L:29:VAL:CG2	2.89	0.46
2:L:161:GLU:HG2	2:L:175:LEU:HD21	1.98	0.46
3:Y:33:VAL:HG11	3:Y:50:TYR:CD2	2.51	0.46
1:A:119:LYS:HD2	1:A:119:LYS:HA	1.81	0.46
2:E:80:PRO:HA	2:E:106:ILE:HD13	1.98	0.46
2:X:3:GLN:H	2:X:26:SER:HB3	1.80	0.46
1:A:44:LEU:HD23	1:A:44:LEU:HA	1.73	0.45
2:E:47:LEU:HA	2:E:58:VAL:HG21	1.97	0.45
3:H:142:VAL:HG11	3:H:150:VAL:HG11	1.97	0.45
3:Y:209:LYS:HB2	3:Y:209:LYS:HE2	1.76	0.45
3:F:82:MET:HE1	3:F:90:TYR:CZ	2.52	0.45
2:L:4:MET:HE3	2:L:23:CYS:SG	2.56	0.45
3:Y:36:TRP:HD1	3:Y:69:ILE:HD13	1.81	0.45
2:L:181:LEU:HD11	2:L:186:TYR:CB	2.41	0.45
1:D:82:SER:HB3	1:D:130:LEU:HD12	1.98	0.45
2:E:32:ALA:HB3	2:E:92:TYR:HB2	1.99	0.45
2:E:63:SER:OG	2:E:74:THR:HB	2.17	0.45
3:F:150:VAL:O	3:F:150:VAL:HG12	2.14	0.45
2:L:24:ARG:NE	2:L:70:ASP:OD2	2.50	0.45
1:B:29:PRO:HA	1:B:56:ASP:HB3	1.99	0.45
1:B:61:SER:CB	2:E:94:THR:HG21	2.45	0.45
1:D:39:LYS:C	1:D:41:ASN:H	2.25	0.45
1:D:61:SER:HB2	2:X:94:THR:OG1	2.17	0.45
3:F:33:VAL:HG11	3:F:50:TYR:CD2	2.52	0.45
2:L:140:TYR:CG	2:L:141:PRO:HA	2.51	0.45
1:A:69:THR:HA	1:A:143:GLN:HB2	1.99	0.44
2:X:35:TRP:CZ3	2:X:88:CYS:HB3	2.52	0.44
3:Y:39:GLN:HB2	3:Y:45:LEU:HD23	1.97	0.44
1:A:159:LEU:HD23	1:A:159:LEU:HA	1.77	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:28:ALA:C	2:E:29:VAL:HG23	2.43	0.44
2:L:59:PRO:HG2	2:L:62:PHE:CD2	2.53	0.44
2:L:191:VAL:HG22	2:L:210:ASN:OD1	2.17	0.44
3:Y:125:ALA:HA	3:Y:126:PRO:HD3	1.78	0.44
3:F:33:VAL:HG12	3:F:50:TYR:HB2	2.00	0.44
3:H:22:CYS:O	3:H:77:THR:HA	2.18	0.44
2:X:59:PRO:HG2	2:X:62:PHE:CE2	2.53	0.44
2:L:137:ASN:HD21	3:H:183:THR:HG21	1.82	0.43
2:X:33:VAL:HG21	2:X:71:PHE:CE1	2.53	0.43
1:A:99:HIS:N	1:A:133:MET:HE1	2.34	0.43
2:L:32:ALA:HB3	2:L:92:TYR:HB2	1.99	0.43
2:X:93:SER:O	2:X:96:TRP:CD1	2.72	0.43
1:B:68:PRO:O	1:B:143:GLN:HG3	2.18	0.43
3:H:90:TYR:O	3:H:106:GLY:HA2	2.19	0.43
1:B:112:VAL:HA	1:B:113:PRO:HD3	1.86	0.43
2:X:143:GLU:CD	2:X:143:GLU:H	2.27	0.43
3:Y:82:MET:HE2	3:Y:82(C):LEU:CD2	2.43	0.43
3:F:125:ALA:HA	3:F:126:PRO:HD3	1.81	0.43
1:B:79:VAL:HA	1:B:164:VAL:HG22	2.00	0.43
2:E:124:GLN:HG3	3:F:122:PHE:CE2	2.54	0.43
2:L:3:GLN:H	2:L:26:SER:HB3	1.83	0.43
1:B:99:HIS:HB3	1:B:133:MET:CE	2.49	0.42
1:B:28:LYS:HD2	1:D:171:LEU:OXT	2.19	0.42
3:H:67:PHE:CZ	3:H:82:MET:HE3	2.55	0.42
3:H:94:ARG:HA	3:H:95:PRO:HD3	1.92	0.42
3:Y:200:HIS:CD2	3:Y:202:PRO:HD2	2.54	0.42
3:H:145:TYR:CZ	3:H:150:VAL:HG21	2.55	0.42
3:Y:52:ASN:HA	3:Y:52(A):PRO:HD3	1.82	0.42
3:F:12:VAL:HG21	3:F:82(C):LEU:HD13	2.00	0.42
3:Y:85:GLU:H	3:Y:85:GLU:CD	2.28	0.42
1:D:36:ASP:HA	1:D:37:PRO:HD3	1.89	0.42
2:E:108:ARG:HG2	2:E:109:THR:N	2.35	0.42
1:A:72:ILE:HD11	1:D:55:GLN:NE2	2.34	0.41
2:X:29:VAL:HG13	2:X:92:TYR:CB	2.49	0.41
1:D:33:LEU:CD2	1:D:47:ALA:HB2	2.51	0.41
2:L:107:LYS:HB2	2:L:107:LYS:HE3	1.78	0.41
2:X:63:SER:O	2:X:73:LEU:HD12	2.20	0.41
2:X:108:ARG:HH11	2:X:108:ARG:HD3	1.75	0.41
1:A:29:PRO:HA	1:A:56:ASP:HB3	2.02	0.41
1:A:81:PHE:HA	1:A:156:HIS:O	2.20	0.41
1:A:112:VAL:HA	1:A:113:PRO:HD3	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:35:TRP:CD2	2:L:73:LEU:HB2	2.56	0.41
2:E:113:PRO:HB3	2:E:139:PHE:HB3	2.02	0.41
1:B:119:LYS:HD2	1:B:119:LYS:HA	1.90	0.41
2:E:29:VAL:HG13	2:E:92:TYR:HB3	2.02	0.41
1:B:104:PHE:HB3	1:B:146:GLN:HB2	2.02	0.41
2:L:79:GLN:HB3	2:L:80:PRO:HD2	2.03	0.41
2:E:4:MET:HE3	2:E:23:CYS:SG	2.61	0.41
3:F:126:PRO:HG3	3:F:138:LEU:HB3	2.03	0.41
2:L:27:GLN:O	2:L:29:VAL:HG23	2.20	0.41
3:H:51:ASN:O	3:H:52(A):PRO:HD3	2.20	0.41
3:Y:66:ARG:HH11	3:Y:66:ARG:HD2	1.69	0.41
3:Y:67:PHE:N	3:Y:67:PHE:CD1	2.86	0.41
1:A:39:LYS:C	1:A:41:ASN:H	2.29	0.41
1:A:82:SER:HB3	1:A:130:LEU:HD12	2.03	0.41
1:B:134:TYR:CD1	1:B:134:TYR:C	2.98	0.41
1:D:39:LYS:HA	1:D:39:LYS:HD3	1.93	0.41
2:X:1:ASP:HB3	2:X:2:ILE:H	1.74	0.41
2:L:142:ARG:NH2	2:L:163:VAL:HB	2.36	0.40
2:E:121:SER:OG	2:E:124:GLN:HB2	2.21	0.40
2:X:59:PRO:HG2	2:X:62:PHE:CD2	2.57	0.40
2:E:29:VAL:HG13	2:E:92:TYR:CB	2.51	0.40
2:X:121:SER:OG	3:Y:122:PHE:HB3	2.22	0.40
1:D:51:ARG:HA	1:D:51:ARG:HD3	1.79	0.40
2:E:6:GLN:OE1	2:E:99:GLY:HA3	2.22	0.40
3:Y:143:LYS:HD3	3:Y:144:ASP:CG	2.46	0.40
3:H:146:PHE:HA	3:H:147:PRO:HA	1.85	0.40
2:X:183:LYS:O	2:X:187:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	133/157 (85%)	123 (92%)	6 (4%)	4 (3%)	3	23
1	B	133/157 (85%)	121 (91%)	8 (6%)	4 (3%)	3	23
1	D	126/157 (80%)	116 (92%)	6 (5%)	4 (3%)	3	21
2	E	209/211 (99%)	196 (94%)	13 (6%)	0	100	100
2	L	209/211 (99%)	196 (94%)	12 (6%)	1 (0%)	24	59
2	X	209/211 (99%)	197 (94%)	11 (5%)	1 (0%)	24	59
3	F	209/213 (98%)	197 (94%)	12 (6%)	0	100	100
3	H	209/213 (98%)	197 (94%)	12 (6%)	0	100	100
3	Y	209/213 (98%)	198 (95%)	11 (5%)	0	100	100
All	All	1646/1743 (94%)	1541 (94%)	91 (6%)	14 (1%)	14	47

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	VAL
1	B	109	PRO
1	B	123	PRO
1	D	123	PRO
1	A	40	GLN
1	A	107	GLN
1	B	124	GLY
1	D	121	VAL
1	D	124	GLY
1	A	123	PRO
1	B	40	GLN
1	D	40	GLN
2	X	29	VAL
2	L	29	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	119/135 (88%)	116 (98%)	3 (2%)	42	69
1	B	118/135 (87%)	110 (93%)	8 (7%)	14	46
1	D	113/135 (84%)	107 (95%)	6 (5%)	20	53
2	E	185/185 (100%)	181 (98%)	4 (2%)	45	71
2	L	185/185 (100%)	182 (98%)	3 (2%)	55	75
2	X	185/185 (100%)	177 (96%)	8 (4%)	26	59
3	F	179/179 (100%)	170 (95%)	9 (5%)	22	55
3	H	179/179 (100%)	172 (96%)	7 (4%)	28	62
3	Y	179/179 (100%)	169 (94%)	10 (6%)	19	52
All	All	1442/1497 (96%)	1384 (96%)	58 (4%)	28	61

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	LYS
1	A	107	GLN
1	A	123	PRO
1	B	46	ARG
1	B	69	THR
1	B	72	ILE
1	B	112	VAL
1	B	116	SER
1	B	121	VAL
1	B	135	HIS
1	B	140	GLN
1	D	46	ARG
1	D	55	GLN
1	D	66	LEU
1	D	72	ILE
1	D	121	VAL
1	D	140	GLN
2	E	6	GLN
2	E	20	THR
2	E	103	LYS
2	E	187	GLU
3	F	7	SER
3	F	48	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	51	ASN
3	F	73	LYS
3	F	94	ARG
3	F	143	LYS
3	F	150	VAL
3	F	181	VAL
3	F	207	VAL
2	L	7	SER
2	L	103	LYS
2	L	155	GLN
3	H	33	VAL
3	H	48	VAL
3	H	94	ARG
3	H	97	MET
3	H	138	LEU
3	H	143	LYS
3	H	148	GLU
2	X	6	GLN
2	X	69	THR
2	X	105	GLU
2	X	108	ARG
2	X	121	SER
2	X	129	THR
2	X	168	SER
2	X	211	ARG
3	Y	3	GLN
3	Y	48	VAL
3	Y	62	LYS
3	Y	94	ARG
3	Y	138	LEU
3	Y	143	LYS
3	Y	148	GLU
3	Y	150	VAL
3	Y	191	THR
3	Y	212	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	GLN
1	B	135	HIS
2	E	6	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	38	GLN
2	E	53	HIS
2	E	160	GLN
3	F	39	GLN
3	F	82(A)	ASN
2	L	137	ASN
2	L	155	GLN
3	H	171	GLN
3	Y	81	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	Y	1
3	F	1
3	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Y	127:SER	C	134:GLY	N	12.37
1	F	127:SER	C	134:GLY	N	11.97
1	H	127:SER	C	134:GLY	N	11.96

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	137/157 (87%)	-0.51	1 (0%) 84 69	17, 36, 88, 127	0
1	B	137/157 (87%)	-0.37	3 (2%) 62 42	19, 43, 96, 137	0
1	D	132/157 (84%)	-0.44	3 (2%) 61 41	15, 36, 92, 115	0
2	E	211/211 (100%)	-0.40	0 100 100	23, 48, 77, 105	0
2	L	211/211 (100%)	-0.09	2 (0%) 81 64	29, 59, 87, 101	0
2	X	211/211 (100%)	-0.59	0 100 100	17, 36, 70, 86	0
3	F	213/213 (100%)	-0.59	0 100 100	18, 42, 68, 100	0
3	H	213/213 (100%)	0.05	3 (1%) 73 54	28, 65, 108, 138	0
3	Y	213/213 (100%)	-0.63	1 (0%) 87 76	12, 33, 71, 96	0
All	All	1678/1743 (96%)	-0.39	13 (0%) 82 67	12, 45, 87, 138	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	30	SER	4.3
1	A	92	SER	2.6
3	H	127	SER	2.5
3	H	135	THR	2.4
3	H	191	THR	2.4
1	D	92	SER	2.4
1	D	104	PHE	2.4
1	D	85	ALA	2.3
1	B	108	TYR	2.3
3	Y	127	SER	2.2
2	L	197	THR	2.1
1	B	84	LYS	2.1
1	B	93	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.